

MÉTAUX TGP



TGP METALS

Adjustable Tables Bases

JANUARY 2024

TAB001

Specifications

- ▶ 2 Motors
- ▶ 3 segments per column
- ▶ Voltage 110 V
- ▶ Adjustable height: 600 mm (23.5") to 1250 mm (49")
- ▶ Operating speed 40mm/s
- ▶ Adjustable Width: 1000 mm (39") to 1750 mm (69")
- ▶ Maximum load: 300 lbs. Integrated anticollision security mechanism
- ▶ Feet dimensions 700 mm (27.6") x 75 mm (3")
- ▶ Steel + PVC coating, offered in: Black, White, Silver
- ▶ 5-year Warranty on chassis and electronics



TAB002

Specifications

- ▶ 2 Motors
- ▶ 3 segments per column
- ▶ Voltage 110 V
- ▶ Adjustable height: 600 mm (23.5") to 1250 mm (49")
- ▶ Operating speed 40mm/s
- ▶ Adjustable Width: 1000 mm (39") to 1750 mm (69")
- ▶ Maximum load 300 lbs. Integrated anticollision security mechanism
- ▶ Feet Dimensions 575 mm (27.6") & 1000 mm (39") x 75 mm (3")
- ▶ Steel + PVC coating, offered in Black, White, Silver
- ▶ 5-year Warranty on chassis and electronics



TAB003

Specifications

- ▶ 3 Motors
- ▶ 3 segments per column
- ▶ Voltage 110 V
- ▶ Adjustable Height: 600 mm (23.5") to 1250 mm (49")
- ▶ Operating speed 40mm/s
- ▶ 2 x Adjustable Width: 1000 mm (39") to 1750 mm (69"). Pivot 180 degrees
- ▶ Maximum load: 450 lbs. Integrated anticollision security mechanism
- ▶ Feet dimensions 700 mm (27.6") x 75 mm (3")
- ▶ Steel + PVC coating, offered in: Black, White, Silver
- ▶ 5-year Warranty on chassis and electronics



Controller & Shelf

Advanced features of the controller:

- ▶ Locking
- ▶ Touchscreen
- ▶ Customizable upper and lower limits
- ▶ Adjustable Height: 600 mm (23.5") to 1250 mm (49")
- ▶ 4 Preset adjustable heights
- ▶ Progressive Start-Stop

Shelf:

- ▶ Rigid, supported on the chassis
- ▶ Allows for horizontal wire passage

